

TABLE I. Measurements of elastic moduli of bilayers.

Lipid ^a	k_c (10^{-12} dyn cm)	\bar{K} (dyn/cm)
DAPC (18 °C)	0.44 ± 0.05	135 ± 20
DGDG (23 °C)	0.44 ± 0.03	160 ± 7
DMPC (29 °C)	0.56 ± 0.06	145 ± 10
SOPC (18 °C)	0.90 ± 0.06	190 ± 10
SOPC:CHOL (15 °C)	2.46 ± 0.39	640 ± 32

^aReference 9.